

As efficient as simple, the right combination for your application: one specific model built according to each main specific segments and equipped with the best accessory kit.

Your task? Just plug and play... and continue doing your job without any thought.

The #Building&Construction vacuum cleaner is the VHS120 H Class third party certified machine, which represents the state-of-art of industrial vacuum cleaner suitable for collecting hazardous materials.

The absolute HEPA14 filter, standard on this H Class variant, retains the finest dust, M-Class start filter with glued seams get the highest filtration efficiency, while the Longopac® system allows the easiest and safest discharge of the collected material, without coming into contact with the vacuumed hazardous dust.

The new anti-shock accessories kit, which this machine is equipped with, has been created specifically for the Building & Construction Sector, where there is the need to dissipate any static charges caused by the passage of dust.

It includes a conductive hose, a conductive cone, an antistatic round brush and a specific anti-shok nozzle with silicone lips, that can also be stored in the tool basket.

Focus on total safety!

- Single phase, n°2 by-pass motors
- H Class third party certified machines
- Compact dimensions
- M Class star filter with glued seams
- Absolute filtration as a standard
- Longopac system for easy and safe material discharge
- Accessories tool basket
- · Equipped with a full chain of conductive or antistatic accessories
- 5 meters flexible conductive hose
- High filter surface
- Ergonomic manual filter shaker
- Vacuum gauge on the motor head
- Optimum balance among efficiency compactness and price

Standard equipment

	Included accessories	Ref. no.	Min. required	VHS120CB HC
Hose Vacuum Cleaner				
-	CONDUCTIVE FLEX HOSE D38MT5+SLEEVES38/40	4072200510	1	•
Round Brush	Round Brush Nozzle			
	ROUND ANTISTATIC BRUSH BLACK 38MM-70MM	4072400262	1	•
Cone Nozzle				
	CONIC TUBE D40 ANTISTATIC COMPONENT ATEX	40000214	1	•





Picture shown may not represent model quoted

	Included accessories	Ref. no.	Min. required	VHS120CB HC
Crevice Noz	zle			
/	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	•
Vacuum Hos	e and Connection			
	BENT CONNECTION D40 FE	Z7 21013	1	•
	REDUCER D50/40 FE	Z7 22000	1	•
Extension Tu	be	1		
5	HANDGRIP D40 CHROME PLT. COMPLETE	Z7 22121	1	•
Accessory K	t			
	MOBILE SUCKER D40 MM400 COMP. ANTI-SHOCK	4072200651	1	•
Model			VI	HS120CB HC
Ref. no.			2	1012300070
PRODUCT F	EATURES			
Vacuum met Manual filter HEPA upstre M-class filter Longopac® s Conductive h End tools Floor nozzle	shaker am filtration with glued seams system			• • • • •
Technical sp	ecifications		VI	HS120CB HC
Voltage (V) Frequency (I IP protection Insulation cla Rated power	class iss			230 50 44 1 2
Airflow witho	ut hose (m³/h - l/m)			312 - 5.200



Technical specifications	VHS120CB HC
Max. vacuum (kPa - mbar)	21 - 210
Sound pressure level at 1.5 m (dB(A) ISO 3744)	74
Longopac® capacity	25
Main filter type	M CLASS POLYESTER WITH GLUED SEAMS
Main filter area (cm ²)	16.000
Upstream HEPA H14 filter (if present) (cm²)	16.000
Hose length (m)	5
Inlet (mm)	50
Length x width x height (cm)	63x62,8x130
Weight (kg)	53

ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	VHS120CB HC
Hose Vacuum	Hose Vacuum Cleaner			
-	CONDUCTIVE FLEX HOSE D38MT5+SLEEVES38/40	4072200510	1	•
Vacuum Hose	Vacuum Hose and Connection			
	BENT CONNECTION D40 FE	Z7 21013	1	•
	REDUCER D50/40 FE	Z7 22000	1	•
Extension Tut	be	1		
/	HANDGRIP D40 CHROME PLT. COMPLETE	Z7 22121	1	•
Accessory Kit	Accessory Kit			
	MOBILE SUCKER D40 MM400 COMP. ANTI-SHOCK	4072200651	1	•
Round Brush	Round Brush Nozzle			
	ROUND ANTISTATIC BRUSH BLACK 38MM-70MM	4072400262	1	•
Crevice Nozzle				
/	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	•



	Accessories	Ref. no.	Min. required	VHS120CB HC
Cone Nozzle				
	CONIC TUBE D40 ANTISTATIC COMPONENT ATEX	40000214	1	•

