



INDUSTRIAL WET & DRY 802 WD PUMP

The Mistral 802 WD Pump vacuum cleaner feature a AISI304 stainless steel liquid container with immersed pump which makes it possible to suck up and discharge the liquid simultaneously.



Suction Unit:

The suction is provided by two by-pass motors, using carbon brushes, operated by independent switches and placed inside a sturdy steel casing, filled with soundproofing material.



Filter unit:

The dust filter is made of a double bag (polyester + nylon) and has a self cleaning system working on the pressure difference principle.



Collection unit:

The vacuum cleaner is mounted on a solid steel trolley, provided with a support for hoes when not used, and guipped with oil proof wheels and braking castors.









- Two powerful by-pass motors with independent cooling
- PPL filter for protection of motors from liquids and foam
- Floating device to stop the suction when container is full
- Submerged pump for the discharge of the sucked liquid
- Possibility to simultaneously suck and discharge liquids
- Accessory kit included







MODELS AND DATASHEET

MODELS	802 WDP
Power (Voltage)	240—50 1~
Frequenzy (Hz)	50/60
Power (kW)	2.3
Depression (mmH2O)	2500
Airflow max. (m3/h)	360
Surface (cm2)	8,000
Filtration class — primary filter (IEC 60335-2-69)	L
Filter surface — HEPA filter (cm2)	27,000
Filtration class — HEPA filter (EN1822)	H14
Pump flow rate (Lt/min)	400 (H=6m)
Capacity (Litres)	80
Floating	Yes
Suction inlet diameter (mm)	80
Sound level — dB(A)	76
Dimensions (cm)	53 x 59 x 105H
Weight (kg)	50









CLEANING CONTRACTORS

VEHICLE - TRANSPORT CLEANING



